

PERMANENT COSMETIC MAKEUP

PRE- PROCEDURE INFORMATION

All permanent cosmetic procedures are multi-session processes. You are required to come back for at least one touch-up visit before it can be determined that your work is complete. A touch-up visit is scheduled 4-6 weeks after initial visit.

Be prepared for the color intensity of your procedure to be significantly sharper, brighter, or darker than what is expected for the final outcome. It will take time for this transition; based upon how quickly the outer layer of your skin exfoliates.

While these injected tones may initially simulate the exact color and tone desired, it will not always remain a perfect match. Injected tones are constant, while your own tones will vary depending on exposure to cold, heat, sun, and circulatory changes. For example, if you tan your skin and had a scar camouflaged, your surrounding skin will be darker in appearance than the treated area.

1. Since delicate skin or sensitive areas may swell slightly or redden, some clients feel it best not make any social plans for a day or two following any procedure.
2. Wear your normal makeup and bring your lip or bow pencils to the office on the day of procedure.
3. Any tweezing or waxing should be done at least 48 hours prior to the procedure: electrolysis no less than five days before. Do not resume any method of hair removal for at least two weeks.
4. Any eyelash or eyebrow tinting or eyelash curling should be done no sooner than 48 hours before or 2 weeks after the procedure.
5. Do not wear contact lenses during or immediately following the eyeliner procedure. Remember to bring your glasses. You may resume wearing your contact lenses as soon as your eyes return to their pre-tattooed condition. Usually 2-3 days. It depends on how fast you heal.
6. **This is very important:** Following the eyeliner procedure, as a safety precaution, we recommend you have someone available to accompany you or drive you home.
7. If you are having lip procedures and have any history of cold sores/fever blisters/herpes simplex, you will be required to contact your physician to obtain the proper prescription to prevent such outbreaks. Start this prescription 2-3 days prior to procedure to prevent outbreak. **NOTE:** If you have a special occasion to attend 7-10 days after procedure, it is not uncommon to have an outbreak even with medication, so plan accordingly.
8. Refrain from the use of alcohol, aspirin, aspirin-containing medications, ibuprofen, or Coumadin for 7 days before and 2 days after any procedure. Refrain from judgment-altering drugs for at least 24 hours prior to any procedure. **No medication should be discontinued without first consulting your physician.**